4164-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2016-D-0199]

Enforcement Policy Regarding Use of National Health Related Item Code and National Drug

Code Numbers on Device Labels and Packages; Guidance for Industry and Food and Drug

Administration Staff; Availability

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice of availability.

SUMMARY: The Food and Drug Administration (FDA or Agency) is announcing the availability of a final guidance entitled "Enforcement Policy Regarding Use of National Health Related Item Code and National Drug Code Numbers on Device Labels and Packages." This guidance describes the Agency's policy regarding the prohibition against providing National Health Related Item Code (NHRIC) and National Drug Code (NDC) numbers on device labels and device packages set forth in FDA regulations. As described in the guidance, FDA does not intend to object to the use of FDA legacy identification numbers on device labels and packages for finished devices manufactured and labeled prior to September 24, 2023. The guidance is immediately in effect, but it remains subject to comment in accordance with the Agency's good guidance practices.

DATES: The announcement of the guidance is published in the *Federal Register* on [INSERT DATE OF PUBLICATION IN THE *FEDERAL REGISTER*].

ADDRESSES: You may submit either electronic or written comments on Agency guidances at any time as follows:

Electronic Submissions

Submit electronic comments in the following way:

- Federal eRulemaking Portal: https://www.regulations.gov. Follow the instructions for submitting comments. Comments submitted electronically, including attachments, to https://www.regulations.gov will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else's Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your comments, that information will be posted on https://www.regulations.gov.
- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see "Written/Paper Submissions" and "Instructions").

Written/Paper Submissions

Submit written/paper submissions as follows:

- Mail/Hand delivery/Courier (for written/paper submissions): Dockets Management Staff (HFA-305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.
- For written/paper comments submitted to the Dockets Management Staff, FDA will post your comment, as well as any attachments, except for information submitted, marked and identified, as confidential, if submitted as detailed in "Instructions."

Instructions: All submissions received must include the Docket No. FDA-2016-D-0199 for "Enforcement Policy Regarding Use of National Health Related Item Code and National Drug Code Numbers on Device Labels and Packages; Guidance for Industry and Food and Drug Administration Staff." Received comments will be placed in the docket and, except for those submitted as "Confidential Submissions," publicly viewable at https://www.regulations.gov or at

the Dockets Management Staff between 9 a.m. and 4 p.m., Monday through Friday, 240-402-7500.

Confidential Submissions--To submit a comment with confidential information that you do not wish to be made publicly available, submit your comments only as a written/paper submission. You should submit two copies total. One copy will include the information you claim to be confidential with a heading or cover note that states "THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION." The Agency will review this copy, including the claimed confidential information, in its consideration of comments. The second copy, which will have the claimed confidential information redacted/blacked out, will be available for public viewing and posted on https://www.regulations.gov. Submit both copies to the Dockets Management Staff. If you do not wish your name and contact information to be made publicly available, you can provide this information on the cover sheet and not in the body of your comments and you must identify this information as "confidential." Any information marked as "confidential" will not be disclosed except in accordance with 21 CFR 10.20 and other applicable disclosure law. For more information about FDA's posting of comments to public dockets, see 80 FR 56469, September 18, 2015, or access the information at:

https://www.govinfo.gov/content/pkg/FR-2015-09-18/pdf/2015-23389.pdf.

Docket: For access to the docket to read background documents or the electronic and written/paper comments received, go to https://www.regulations.gov and insert the docket number, found in brackets in the heading of this document, into the "Search" box and follow the prompts and/or go to the Dockets Management Staff, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852, 240-402-7500.

You may submit comments on any guidance at any time (see 21 CFR 10.115(g)(5)).

An electronic copy of the guidance document is available for download from the internet.

See the SUPPLEMENTARY INFORMATION section for information on electronic access to

the guidance. Submit written requests for a single hard copy of the guidance document entitled "Enforcement Policy Regarding Use of National Health Related Item Code and National Drug Code Numbers on Device Labels and Packages; Guidance for Industry and Food and Drug Administration Staff" to the Office of Policy, Guidance and Policy Development, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, Rm. 5431, Silver Spring, MD 20993-0002; or the Center for Biologics Evaluation and Research, Office of Communication, Outreach, and Development, 10903 New Hampshire Ave., Bldg. 71, Rm. 3128, Silver Spring, MD 20903. Send one self-addressed adhesive label to assist that office in processing your request.

FOR FURTHER INFORMATION CONTACT: Steven Luxenberg, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 32, Rm. 3216, Silver Spring, MD 20993-0002, 301-796-7043, steven.luxenberg@fda.hhs.gov; or Stephen Ripley, Center for Biologics Evaluation and Research, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 71, Rm. 7301, Silver Spring, MD 20993, 240-402-7911.

SUPPLEMENTARY INFORMATION:

I. Background

Section 226 of the Food and Drug Administration Amendments Act of 2007 (Pub. L. 110-85) and section 614 of the Food and Drug Administration Safety and Innovation Act (Pub. L. 112-144) amended the Federal Food, Drug, and Cosmetic Act (FD&C Act) to add section 519(f) (21 U.S.C. 360i(f)), which directs FDA to issue regulations establishing a unique device identification system for medical devices along with implementation timeframes for certain medical devices. The final rule (UDI Rule), establishing the unique device identification system, was published on September 24, 2013 (78 FR 58786).

Prior to the establishment of the FDA's unique device identification system, the absence of a standardized, unique identification system for devices led some companies to obtain a labeler code from FDA and place NHRIC or NDC numbers on the labels and packages of certain

medical devices. In recognition of this practice, and to further the objectives of the unique device identification program, the UDI Rule includes a provision that rescinds any NHRIC or NDC number, assigned to a medical device. ¹ Under § 801.57(a) (21 CFR 801.57(a)), on the date a device is required to bear a UDI on its label, any NHRIC or NDC number assigned to that device is rescinded and may no longer be on the device label or on any device package. If a device is not required to bear a UDI on its label, any NHRIC or NDC number assigned to that device is rescinded as of September 24, 2018, and may no longer be on the device label or on any device package (§ 801.57(b)).

For the reasons described in the guidance, we believe that extending the policy for a limited additional time as stakeholders continue to make changes to transition medical device reimbursement, supply chain, and procurement systems and processes away from use of legacy NHRIC and NDC numbers is appropriate and in the interest of the public health.

By September 24, 2023, more devices will bear UDIs, and we anticipate reimbursement, supply chain, and procurement systems will be better prepared to rely on UDIs. We also intend to work to encourage UDI adoption throughout healthcare data systems, including in those that currently rely on NHRIC and NDC numbers to help facilitate a smooth transition away from use of these legacy identifiers on device labels and fully realize the benefits of UDI. Additionally, the guidance addresses requests for continued use of a previously assigned FDA labeler code under a system for the issuance of UDIs.

This guidance is being implemented without prior public comment because the Agency has determined that prior public participation is not feasible or appropriate (see section 701(h)(1)(C) of the FD&C Act (21 U.S.C. 371(h)(1)(C)) and 21 CFR 10.115(g)(2)). FDA has determined that this guidance presents a less burdensome policy that is consistent with public

¹ Although § 801.57 rescinds any NHRIC or NDC "assigned" to a device, such NDC numbers are not assigned in compliance with 21 CFR 207.33. Rather, some device manufacturers had labeler codes previously assigned to them by FDA, which they used to create numbers that were labeled as "NHRIC" or "NDC."

health. Although this guidance is immediately in effect, FDA will consider all comments received and revise the guidance document as appropriate.

This guidance is being issued consistent with FDA's good guidance practices regulation (21 CFR 10.115). The guidance represents the current thinking of FDA on "Enforcement Policy Regarding Use of National Health Related Item Code and National Drug Code Numbers on Device Labels and Packages; Guidance for Industry and Food and Drug Administration Staff." It does not establish any rights for any person and is not binding on FDA or the public. You can use an alternative approach if it satisfies the requirements of the applicable statutes and regulations.

II. Electronic Access

Persons interested in obtaining a copy of the guidance may do so by downloading an electronic copy from the internet. A search capability for all Center for Devices and Radiological Health guidance documents is available at https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/guidance-documents-medical-devices-and-radiation-emitting-products. This guidance document is also available at https://www.regulations.gov and at https://www.fda.gov/regulatory-information/search-fda-guidance-documents or https://www.fda.gov/vaccines-blood-biologics/guidance-compliance-regulatory-information-biologics/biologics-guidances. Persons unable to download an electronic copy of "Enforcement Policy Regarding Use of National Health Related Item Code and National Drug Code Numbers on Device Labels and Packages; Guidance for Industry and Food and Drug Administration Staff" may send an email request to CDRH-Guidance@fda.hhs.gov to receive an electronic copy of the document. Please use the document number GUD1500044 and complete title to identify the guidance you are requesting.

III. Paperwork Reduction Act of 1995

While this guidance contains no new collection of information, it does refer to previously approved FDA collections of information. Therefore, clearance by the Office of Management

and Budget (OMB) under the Paperwork Reduction Act of 1995 (PRA) (44 U.S.C. 3501-3521) is not required for this guidance. The previously approved collections of information are subject to review by OMB under the PRA. The collections of information in the following FDA regulations have been approved by OMB as listed in the following table:

21 CFR Part	Topic	OMB Control No.
801, subpart B, and 830	Unique Device Identification	0910-0720
800, 801, and 809	Medical Device Labeling Regulations	0910-0485

Dated: May 17, 2021.

Lauren K. Roth, Acting Principal Associate Commissioner for Policy.

[FR Doc. 2021-10752 Filed: 5/20/2021 8:45 am; Publication Date: 5/21/2021]